


Dimensional drawings



Options


Order Code	Description	Style	Ports
NCS04/2-LG2-1/4	Aluminum Housing, Two #1 Ports	LG2	1/4 BSP
NCS04/2-LG2-4S	Aluminum Housing, Two #1 Ports	LG2	SAE #4
NCS04/2-LG2-6S	Aluminum Housing, Two #1 Ports	LG2	SAE #6

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 04

HOUSING LG2




TYPE	PORTS		A	B	C	D	E	F	G	H	WEIGHT	MATERIAL		ORDER NUMBER
	①	②										UNI	ALL	
LG2 1/4	1/4" BSP	1/4" BSP	30	60	60	30	7.5	45	ø 6.5	14	0.255 Kg	2011	11ST6	92.25.042.1.3

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS


Type 04

HOUSING SE



TYPE	PORTS			A	B	C	D	E	F	G	H	I	WEIGHT	MATERIAL		ORDER NUMBER
	①	②	③											UNI	ALL	
SE 1/4	1/4" BSP	1/4" BSP	1/4" BSP	30	60	60	43	7.5	45	ø 6.5	14	29	0.255 Kg	2011	11ST6	92.25.043.1.3


Dimensional drawings



Options

Order Code	Description	Style	Ports
NCS06/2-DG-1/2	Aluminum Housing	DG	1/2 BSP
NCS06/2-DG-8S	Aluminum Housing	DG	SAE #8

Dimensional drawings



Options


Order Code	Description	Style	Ports
NCS06/2-LG1-1/2	Aluminum Housing, Two #2 Ports	LG1	1/2 BSP
NCS06/2-LG1-8S	Aluminum Housing, Two #2 Ports	LG1	SAE #8

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 06

HOUSING DG




TYPE	PORTS		A	B	C	D	E	F	G	H	WEIGHT	MATERIAL		ORDER NUMBER
	①	②										UNI	ALL	
DG 3/8	3/8" BSP	3/8" BSP	30	60	50	35	7.5	45	ø 6.5	16	0.195 Kg	2011	11ST6	92.25.006.1.3
DG 1/2	1/2" BSP	1/2" BSP	35	70	50	35	12.5	45	ø 6.5	16	0.274 Kg	2011	11ST6	92.25.005.1.3

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS


Type 06

HOUSING LG1



TYPE	PORTS		A	B	C	D	E	F	G	H	WEIGHT	MATERIAL		ORDER NUMBER
	①	②										UNI	ALL	
LG1 3/8	3/8" BSP	3/8" BSP	30	60	50	35	7.5	45	ø 6.5	16	0.185 Kg	2011	11ST6	92.25.004.1.3
LG1 1/2	1/2" BSP	1/2" BSP	35	70	50	35	12.5	45	ø 6.5	16	0.250 Kg	2011	11ST6	92.25.003.1.3


Dimensional drawings



Options

Order Code	Description	Style	Ports
NCS06/2-LG2-1/2	Aluminum Housing, Two #1 Ports	LG2	1/2 BSP
NCS06/2-LG2-8S	Aluminum Housing, Two #1 Ports	LG2	SAE #8


Dimensional drawings



Options

Order Code	Description	Style	Ports
NCS06/2-LG2-3/8	Aluminum Housing, Two #1 Ports	LG2	3/8 BSP
NCS06/2-LG2-6S	Aluminum Housing, Two #1 Ports	LG2	SAE #6

Dimensional drawings



Options


Order Code	Description	Style	Ports
NCS06/3-SE-3/8	Aluminum Housing	SE	3/8 BSP
NCS06/3-SE-6S	Aluminum Housing	SE	SAE #6

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 06

HOUSING LG2




TYPE	PORTS		A	B	C	D	E	F	G	H	WEIGHT	MATERIAL		ORDER NUMBER
	①	②										UNI	ALL	
LG2 3/8	3/8" BSP	3/8" BSP	30	60	70	35	7.5	45	ø 6.5	16	0.260 Kg	2011	11ST6	92.25.002.1.3
LG2 1/2	1/2" BSP	1/2" BSP	35	70	70	35	12.5	45	ø 6.5	16	0.370 Kg	2011	11ST6	92.25.001.1.3

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS


Type 06

HOUSING SE



TYPE	PORTS			A	B	C	D	E	F	G	H	I	WEIGHT	MATERIAL		ORDER NUMBER
	①	②	③											UNI	ALL	
SE 3/8	3/8" BSP	3/8" BSP	3/8" BSP	30	60	70	50	7.5	45	ø 6.5	16	34	0.260 Kg	2011	11ST6	92.25.008.1.3
SE 1/2	1/2" BSP	1/2" BSP	1/2" BSP	35	70	70	50	12.5	45	ø 6.5	16	34	0.370 Kg	2011	11ST6	92.25.007.1.3
SE 14X1.5	M14x1.5	M14x1.5	M14x1.5	30	60	70	50	7.5	45	ø 6.5	16	34	0.280 Kg	2011	11ST6	92.25.055.1.3
SE 18X1.5	M18x1.5	M18x1.5	M18x1.5	30	60	70	50	7.5	45	ø 6.5	16	34	0.250 Kg	2011	11ST6	92.25.037.1.3


Dimensional drawings



Options

Order Code	Description	Style	Ports
NCS06/3-DL-1/2	Alum. Hsg., 2 Cavities w/#1 Ports Conn.	DL	1/2 BSP
NCS06/3-DL-8S	Alum. Hsg., 2 Cavities w/#1 Ports Conn.	DL	SAE #8

Dimensional drawings



Options


Order Code	Description	Style	Ports
NCS06/3-SI-3/8	Aluminum Housing, Two #1 Ports	SI	3/8 BSP
NCS06/3-SI-6S	Aluminum Housing, Two #1 Ports	SI	SAE #6

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 06

HOUSING SI




TYPE	PORTS			A	B	C	D	E	F	G	H	I	L	WEIGHT	MATERIAL		ORDER NUMBER
	①	②	③												UNI	ALL	
SI 3/8	3/8" BSP	3/8" BSP	3/8" BSP	30	60	80	50	7.5	45	ø 6.5	16	34	16	0.300 Kg	2011	11ST6	92.25.011.1.3
SI 1/2	1/2" BSP	1/2" BSP	1/2" BSP	35	70	82	50	12.5	45	ø 6.5	16	34	16	0.430 Kg	2011	11ST6	92.25.012.1.3

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS


Type 06

HOUSING DI



TYPE	PORTS		A	B	C	D	E	F	G	H	I	WEIGHT	MATERIAL		ORDER NUMBER
	②	③											UNI	ALL	
DL 3/8	3/8" BSP	3/8" BSP	30	60	100	50	7.5	45	ø 6.5	16	34	0.370 Kg	2011	11ST6	92.25.013.1.3
DL 1/2	1/2" BSP	1/2" BSP	35	70	100	50	12.5	45	ø 6.5	16	34	0.520 Kg	2011	11ST6	92.25.014.1.3

Dimensional drawings



Options


Order Code	Description	Style	Ports
NCS12/3-SI-1	Aluminum Housing, Two #1 Ports	SI	1/2 BSP
NCS12/3-SI-12S	Aluminum Housing, Two #1 Ports	SI	SAE #12
NCS12/3-SI-3/4	Aluminum Housing, Two #1 Ports	SI	3/4 BSP
NCS12/3-SI-8S	Aluminum Housing, Two #1 Ports	SI	SAE #8

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 12

HOUSING SI




TYPE	PORTS			A	B	C	D	E	F	G	H	I	WEIGHT	MATERIAL		ORDER NUMBER
	①	②	③											UNI	ALL	
SI 1/2	1/2" BSP	1/2" BSP	1/2" BSP	45	90	115	70	15	60	ø 8.5	22	47	1.033 Kg	2011	11ST6	92.25.019.1.2
SI 3/4	3/4" BSP	3/4" BSP	3/4" BSP	45	90	115	70	15	60	ø 8.5	22	47	0.968 Kg	2011	11ST6	92.25.020.1.2

STANDARD HOUSING FOR CARTRIDGE VALVE

NCS

Type 12

HOUSING DL



TYPE	PORTS		A	B	C	D	E	F	G	H	I	WEIGHT	MATERIAL		ORDER NUMBER
	②	③											UNI	ALL	
DL 1/2	1/2" BSP	1/2" BSP	45	90	134	67	15	60	ø 8.5	22	47	1.166 Kg	2011	11ST6	92.25.022.1.3
DL 3/4	3/4" BSP	3/4" BSP	45	90	134	67	15	60	ø 8.5	22	47	1.112 Kg	2011	11ST6	92.25.021.1.3